


JUMBOTEX

- Trevira CS fabric in an extraordinary width of up to 460 cm for expansive windows
- Standard 100 by Oeko-Tex® certified, free from harmful substances
- Proven acoustic properties

APPLICATIONS







Not suitable: SG 4905,
SG 4900, SG 4907



FABRIC PROPERTIES

	900	929
	Semi transparent	
	Polyester Trevira CS	
	512 g/m ²	545 g/m ²
	0.80 mm	0.85 mm
	460 cm	
	500 cm	

FEATURES / TECHNICAL PROPERTIES

	900	929
	5-6	6-7
	Alpha-w = 0.60	
	Flame retardant	
	Oeko-Tex	
	Special colours from 1'000 m	

WASHING INSTRUCTIONS



FLAME RETARDANT

B-s1,d0 (EN 13501-1)
Class 1 (UNI 8456)
B1 (DIN 4102-1)
Type C (BS 5867-2)



Jumbotex
OPTICAL AND SOLAR COEFFICIENTS ($\pm 5\%$, DIN EN 410)

Colour	T_V	T_S	R_S	A_S	F_C	g_{tot}
900	25.1	24.1	72.7	3.2	0.47	0.34
929	3.4	12.6	53.3	34.1	0.59	0.42

T_V Visible light transmission

R_S Solar reflectance


F_C Shading factor

T_S Solar transmission

A_S Solar absorption

g_{tot} Total g-value

$F_C + g_{tot}$: Value calculated with glass: $0.72 / U_g = 1.6 \text{ W/m}^2 \text{ K}$, DIN EN 13363-1



Colours shown are not binding